



THE EFFECTS OF CLIMATE CHANGE ON WINTER SERVICE IN GERMANY

Peter Hoffmann

Potsdam Institute for Climate Impact Research


peterh@pik-potsdam.de

Christian Holldorb

Karlsruhe – University of Applied Science

Franziska Rumpel

Biberach – University of Applied Science



CONTENT

1. Introduction

1.1 Natural Variability

2. Meteorological Data and Model

2.1 Winter parameters

2.2 The Statistical Climate Model

3. Results

3.1 Projection of the winter climate change

3.2 Regional characteristics


3.3 Impacts on the road winter service

4. Conclusions


1. INTRODUCTION

Natural Variability

Germany




monthly
means



2. Meteorological Data and Model

Climate Station Network



Maintenance Areas



2. Meteorological Data and Model


Winter Climate Parameters

Primary parameter	Combinations of primary parameters			Unit
daily minimum temperature		Tmin		°C
daily sum of precipitation		RR		mm
relative humidity		RF		%
new snowfall height		SN		cm
snow height		SH		cm
Secondary parameter	x_1	SSD	SN > 0 cm	cm
sum of new snowfall depth	x_2	NSF	SN > 0 cm	d
days with snowfall	x_3	NFR	Tmin < 0 °C & RR > 0 mm	d
days with freezing rain	x_4	NRM	Tmin < 0 °C & RR = 0 mm & RF > 90 %	d

Example:
Elsterwerda

2. Meteorological Data and Model


Winter Service Parameters



2. Meteorological Data and Model


About climate projections

External Forcing:





2. Meteorological Data and Model

The statistical climate model




STatistical Analogue Resampling Scheme:

- observed weather situations will very likely recur in the similar way
- mean temperature is a very robust signal
- annual means of the simulated time series have to match the given linear trend for the simulation time period
- Blocks of 12 days are replaced



3. Results







Projection of Winter Climate Change



3. Results

Regional Characteristics





Parameter:
New Snow Depth Sum





3. Results

Regional Characteristics

Parameter:
Days with Freezing Rain






- 01 SM Elsterwerda
- 02 SM Fuerstenwald
- 03 AM Erkner
- 04 AM Gramzow
- 05 SM Hausham
- 06 SM Roedelmaier
- 07 AM Rehau
- 08 AM Ulm-Dornstadt
- 09 SM Offenbach
- 10 AM Rodgau
- 11 SM Legden
- 12 AM Rheinberg







3. Results


Regional Characteristics



Change: no




Change: yes



3. Results

Effects on the Road Winter Service



4. Conclusions


- **scenario:** RCP8.5 („high-end“), moderate specification
 - **model:** a statistical approach, resampling scheme
 - **ensemble:** 100 realisations
 - **uncertainty:** only model-based
 - **resolution:** high-regional characteristics
-
- **winter service:** near future (\uparrow), far future (\downarrow)
 - **cold waves:** reduced, but still likely (interaction to low-freq. Oscill.)
-
- **vision:** robust ensemble combining dyn. & statistical models
 - **update:** every 5-10 yr

The End


**THANK YOU
FOR ATTENTION !**

Additional Material

ClimateImpactsOnline




Quasi-Biennial Oscillation



Dynamical Downscaling: EURO-CORDEX

tas_EUR11_ICHEC_EC_EARTH_rcp85_r12i1p1_SMHI-RCA4_v1_mon_200601-210012.cdf



2.0 2.4 2.8 3.2 3.6 4.0 4.4 4.8
2m-TEMPERATURE CHANGE (K) 2081-2100 – 2006-2025 (OND)FIM

CMIP5 Ensemble

CMIP5 GCM ENSEMBLE MEAN TREND (RCP8.5), 2006-2100

